

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke 

gigasept® PAA ***No Change Service!***

Version
05.02

Revision Date:
17.10.2024

Date of last issue: 23.09.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : gigasept® PAA

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-
stance/Mixture : Disinfectant for medical device

Recommended restrictions
on use : Restricted to professional users.

1.3 Details of the supplier of the safety data sheet

Producer : BIOXAL
ZI Sud Secteur A
Route des Varennes

71100 Chalon-sur-Saône
France
Telephone: + 33 (0) 3 85 92 30 00
Telefax: + 33 (0) 3 85 92 30 12

Supplier : Schülke France SARL
ZI Sud secteur A
Route des Varennes

71100 Chalon sur Saône
France
Telephone: + 33 (0) 3 85 92 30 00
schuelkefrance.info@schuelke.com

E-mail address of person
responsible for the
SDS/Contact person : schuelkefrance.info@schuelke.com
+ 33 (0) 3 85 92 30 00

1.4 Emergency telephone number

Emergency telephone num-
ber : Carechem 24 International: +44 1235 239670

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

**Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK
SI 2019/720, and UK SI 2020/1567)**

Eye irritation, Category 2

Long-term (chronic) aquatic hazard, Cat-
egory 3

H319: Causes serious eye irritation.

H412: Harmful to aquatic life with long lasting ef-
fects.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke 

gigasept® PAA **No Change Service!**

Version
05.02

Revision Date:
17.10.2024

Date of last issue: 23.09.2022

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Hazard pictograms

:



Signal word

:

Warning

Hazard statements

:

H319 Causes serious eye irritation.
H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

:

Prevention:

P273 Avoid release to the environment.
P280 Wear eye protection/ face protection.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature

: Solution of the following substances

Hazardous components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
hydrogen peroxide	7722-84-1 231-765-0 008-003-00-9 01-2119485845-22-XXXX	Ox. Liq. 1; H271 Acute Tox. 4; H302 Acute Tox. 4; H332 Skin Corr. 1A; H314 Eye Dam. 1; H318 STOT SE 3; H335 (Respiratory system) Aquatic Chronic 3; H412 specific concentra-	>= 3 - < 5

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke 

gigasept® PAA **No Change Service!**

Version
05.02

Revision Date:
17.10.2024

Date of last issue: 23.09.2022

		tion limit Ox. Liq. 1; H271 ≥ 70 % Ox. Liq. 2; H272 50 - < 70 % Skin Corr. 1A; H314 ≥ 70 % Skin Corr. 1B; H314 50 - < 70 % Skin Irrit. 2; H315 35 - < 50 % Eye Dam. 1; H318 8 - < 50 % Eye Irrit. 2; H319 5 - < 8 % STOT SE 3; H335 ≥ 35 %	
acetic acid	64-19-7 200-580-7 607-002-00-6 01-2119475328-30-XXXX	Flam. Liq. 3; H226 Skin Corr. 1A; H314 Eye Dam. 1; H318 specific concentra- tion limit Skin Corr. 1A; H314 ≥ 90 % Skin Corr. 1B; H314 25 - < 90 % Skin Irrit. 2; H315 10 - < 25 % Eye Irrit. 2; H319 10 - < 25 %	≥ 3 - < 5
peracetic acid	79-21-0 201-186-8 607-094-00-8 01-2119531330-56-XXXX	Flam. Liq. 3; H226 Org. Perox. D; H242 Acute Tox. 3; H301 Acute Tox. 3; H331 Acute Tox. 3; H311 Skin Corr. 1A; H314 Eye Dam. 1; H318 STOT SE 3; H335 (Respiratory sys- tem) Aquatic Acute 1; H400 Aquatic Chronic 1; H410	≥ 0.1 - < 0.25

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke 

gigasept® PAA *No Change Service!*

Version
05.02

Revision Date:
17.10.2024

Date of last issue: 23.09.2022

		M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 10 <hr/> specific concentration limit STOT SE 3; H335 ≥ 1 %	
--	--	---	--

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : Take off all contaminated clothing immediately.
- If inhaled : Move the victim to fresh air and keep him calm.
If symptoms persist, call a physician.
- In case of skin contact : Wash off immediately with plenty of water.
If symptoms persist, call a physician.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,
for at least 15 minutes.
If eye irritation persists, consult a specialist.
- If swallowed : Rinse mouth.
Call a physician immediately.

4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : Treat symptomatically.
- Risks : Causes serious eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : For specialist advice physicians should contact the Poisons Information Service.

SECTION 5: Firefighting measures

5.1 Extinguishing media

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
The product itself does not burn.
- Unsuitable extinguishing media : None known.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke 

gigasept® PAA ***No Change Service!***

Version
05.02

Revision Date:
17.10.2024

Date of last issue: 23.09.2022

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products : No hazardous combustion products are known

5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Handle in accordance with good industrial hygiene and safety practice.
Ensure adequate ventilation.
Avoid contact with skin and eyes.
Do not breathe vapour.

6.2 Environmental precautions

Environmental precautions : Avoid subsoil penetration.
Do not flush into surface water or sanitary sewer system.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material.
Unsuitable material for picking up:
Absorbent material, organic
Kieselguhr
Sawdust
Keep in suitable, closed containers for disposal.
Clean contaminated surface thoroughly.
Flush with water.

6.4 Reference to other sections

see Section 8 + 13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Provide sufficient air exchange and/or exhaust in work rooms.
Handle and open container with care.
Never return unused material to storage receptacle.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Hygiene measures : When using do not eat or drink.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep only in the original container. Suitable container and packaging materials for safe storage Plastic container of HDPE Polyethylene glass Unsuitable materials for containers

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke 

gigasept® PAA **No Change Service!**

Version
05.02

Revision Date:
17.10.2024

Date of last issue: 23.09.2022

Metals Store in a receptacle equipped with a vent.

Further information on storage conditions : Keep away from heat. Keep away from direct sunlight. Store in cool place. Do not keep the container sealed. Store in up-right position only. Recommended storage temperature: 5 - 30°C

Advice on common storage : Do not store together with metals.
Do not store together with alkalis.
Do not store together with reducing agents.
Do not store together with combustible substances.

7.3 Specific end use(s)

Specific use(s) : none

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
hydrogen peroxide	7722-84-1	TWA	1 ppm 1.4 mg/m ³	GB EH40
		STEL	2 ppm 2.8 mg/m ³	GB EH40
		PEL	1.25 mg/m ³	Biocide dossier
		STEL	1.25 mg/m ³	Biocide dossier
acetic acid	64-19-7	STEL	20 ppm 50 mg/m ³	GB EH40
		TWA	10 ppm 25 mg/m ³	GB EH40
		TWA	10 ppm 25 mg/m ³	2017/164/EU
Further information: Indicative				
		STEL	20 ppm 50 mg/m ³	2017/164/EU
Further information: Indicative				
peracetic acid	79-21-0	PEL	0.16 ppm 0.5 mg/m ³	Biocide dossier
		STEL	0.16 ppm 0.5 mg/m ³	Biocide dossier

Derived No Effect Level (DNEL):

Substance name	End Use	Exposure routes	Potential health effects	Value
hydrogen peroxide	Workers	Inhalation	Long-term local effects	1.4 mg/m ³
acetic acid	Workers	Inhalation	Acute local effects	25 mg/m ³

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke 

gigasept® PAA **No Change Service!**

Version
05.02

Revision Date:
17.10.2024

Date of last issue: 23.09.2022

	Workers	Inhalation	Long-term local effects	25 mg/m3
--	---------	------------	-------------------------	----------

Predicted No Effect Concentration (PNEC):

Substance name	Environmental Compartment	Value
hydrogen peroxide	Fresh water	0.0126 mg/l
	Marine water	0.0126 mg/l
	Effects on waste water treatment plants	4.66 mg/l
	Fresh water sediment	0.047 mg/kg
	Marine sediment	0.047 mg/kg
acetic acid	Soil	0.0023 mg/kg
	Fresh water	3.058 mg/l
	Marine water	0.306 mg/l
	Fresh water sediment	11.36 mg/kg
	Marine sediment	1.136 mg/kg
peracetic acid	Intermittent use/release	30.58 mg/l
	Soil	0.478 mg/kg
	Effects on waste water treatment plants	85 mg/l
	Fresh water	0.0069 µg/l
	Marine water	0.069 µg/l
	Effects on waste water treatment plants	0.051 mg/l
	Effects on terrestrial organisms	0.282 mg/kg

8.2 Exposure controls

Engineering measures

Ensure that eyewash stations and safety showers are close to the workstation location.

Personal protective equipment

Eye/face protection	:	Safety glasses with side-shields conforming to EN166
Hand protection	:	
Directive	:	The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.
Remarks	:	Prolonged contact: Nitrile rubber gloves e.g. Camatril (>120 Min., layer thickness: 0.40 mm) or butyl rubber gloves e.g. Butoject (>480 Min., layer thickness: 0.70 mm) made by KCL or gloves from other manufacturers offering the same protection. Splash protection: disposable nitrile rubber gloves e.g. Dermatril (layer thickness: 0.11 mm) made by KCL or gloves from other manufacturers offering the same protection.
Respiratory protection	:	If the occupational exposure limits cannot be met, in exceptional cases suitable respiratory equipment should be worn only for a short period of time. Combination filter: A2B2E2K2 Hg NO P3 R D/ CO 20 P3 R D
Protective measures	:	Do not breathe vapour. Avoid contact with skin and eyes.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke 

gigasept® PAA *No Change Service!*

Version
05.02

Revision Date:
17.10.2024

Date of last issue: 23.09.2022

Appearance	:	liquid
Colour	:	colourless
Odour	:	vinegar-like
Odour Threshold	:	not determined
pH	:	3.5 (20 °C) Concentration: 100 %
Melting point/freezing point	:	not determined
Crystallization range	:	< -15 °C
Decomposition temperature	:	No data available
Boiling point/boiling range	:	ca. 100 °C (1,013 hPa)
Flash point	:	> 100 °C
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	Not applicable
Lower explosion limit / Lower flammability limit	:	Not applicable
Vapour pressure	:	20 hPa (ca. 20 °C)
Relative vapour density	:	No data available
Density	:	1.02 g/cm ³ (20 °C)
Solubility(ies)	:	
Water solubility	:	completely soluble
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	Not applicable
Viscosity	:	
Viscosity, dynamic	:	not determined
Viscosity, kinematic	:	not determined
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.

9.2 Other information

Metal corrosion rate	:	Not corrosive to metals
----------------------	---	-------------------------

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke 

gigasept® PAA *No Change Service!*

Version
05.02

Revision Date:
17.10.2024

Date of last issue: 23.09.2022

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : To avoid thermal decomposition, do not overheat.

10.4 Conditions to avoid

Conditions to avoid : Extremes of temperature and direct sunlight.

10.5 Incompatible materials

Materials to avoid : Reducing agents
Acid chlorides
Strong acids and strong bases
Aldehydes
Metals

10.6 Hazardous decomposition products

Oxygen

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 2,000 mg/kg
Method: Calculation method

Components:

hydrogen peroxide:

Acute oral toxicity : LD50 (Rat): 801 mg/kg
Remarks: Harmful if swallowed.

Acute inhalation toxicity : Assessment: The component/mixture is moderately toxic after short term inhalation.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke -t

gigasept® PAA **No Change Service!**

Version
05.02

Revision Date:
17.10.2024

Date of last issue: 23.09.2022

Remarks: Regulation (EC) No 1272/2008 on classification,
labelling and packaging of substances and mixtures, Annex
VI, Table 3.1

Acute dermal toxicity : LD50 (Rat): 6,500 mg/kg

acetic acid:

Acute oral toxicity : LD50 (Rat): 3,310 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 39.8 mg/l
Exposure time: 4 h
Test atmosphere: vapour

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

peracetic acid:

Acute oral toxicity : LD50: 300 - 2,000 mg/kg
Assessment: Harmful if swallowed.

Acute inhalation toxicity : LC50: 1 - 5 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: Harmful if inhaled.

Acute dermal toxicity : LD50: 1,000 - 2,000 mg/kg
Assessment: Harmful if inhaled.

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation
GLP : yes
Remarks : According to the classification criteria of the European Union,
the product is not considered as being a skin irritant.

Components:

hydrogen peroxide:

Species : Rabbit
Result : Corrosive after 3 minutes or less of exposure

acetic acid:

Species : Rabbit
Method : OECD Test Guideline 404
Result : Corrosive after 3 minutes or less of exposure

peracetic acid:

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke -+

gigasept® PAA ***No Change Service!***

Version
05.02

Revision Date:
17.10.2024

Date of last issue: 23.09.2022

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: Corrosive after 3 minutes or less of exposure

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

Species	: Rabbit
Assessment	: Causes serious eye irritation.
Method	: OECD Test Guideline 405
Result	: irritating
GLP	: yes

Components:

hydrogen peroxide:

Species	: Rabbit
Result	: Irreversible effects on the eye

acetic acid:

Species	: Rabbit
Method	: OECD Test Guideline 405
Result	: Irreversible effects on the eye

peracetic acid:

Species	: Rabbit
Result	: Irreversible effects on the eye

Respiratory or skin sensitisation

Skin sensitisation

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Product:

Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: Did not cause sensitisation on laboratory animals.
GLP	: yes

Components:

hydrogen peroxide:

Species	: Guinea pig
Result	: Did not cause sensitisation on laboratory animals.

acetic acid:

Result	: No data available
--------	---------------------

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke 

gigasept® PAA ***No Change Service!***

Version
05.02

Revision Date:
17.10.2024

Date of last issue: 23.09.2022

peracetic acid:

Species	: Mouse
Result	: Did not cause sensitisation on laboratory animals.
Remarks	: Substance is not considered to be potential skin sensitiser.

Germ cell mutagenicity

Not classified based on available information.

Components:

hydrogen peroxide:

Genotoxicity in vitro	: Test Type: Ames test Result: negative
Genotoxicity in vivo	: Test Type: in vivo assay Result: Non mutagenic

acetic acid:

Genotoxicity in vitro	: Test Type: Ames test Result: negative
-----------------------	--

peracetic acid:

Germ cell mutagenicity- Assessment	: Germ cell effects are not relevant., The substance has been tested for mutagenicity and other types of genotoxic effects in in vitro and in vivo experiments and is evaluated as being non-mutagenic.
------------------------------------	---

Carcinogenicity

Not classified based on available information.

Components:

hydrogen peroxide:

Carcinogenicity - Assessment	: Animal testing did not show any carcinogenic effects.
------------------------------	---

acetic acid:

Carcinogenicity - Assessment	: Animal testing did not show any carcinogenic effects.
------------------------------	---

peracetic acid:

Carcinogenicity - Assessment	: No structural alerts for carcinogenicity were found.
------------------------------	--

Reproductive toxicity

Not classified based on available information.

Components:

hydrogen peroxide:

Reproductive toxicity - Assessment	: Animal testing did not show any effects on fertility.
------------------------------------	---

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke -+

gigasept® PAA ***No Change Service!***

Version
05.02

Revision Date:
17.10.2024

Date of last issue: 23.09.2022

acetic acid:

Reproductive toxicity - Assessment : Animal testing did not show any effects on fertility.

peracetic acid:

Effects on foetal development : Species: Rat
Application Route: Oral
General Toxicity Maternal: NOAEL: 100 mg/l
Teratogenicity: NOAEL F1: 100 mg/l

Reproductive toxicity - Assessment : Animal testing did not show any effects on fertility.

STOT - single exposure

Not classified based on available information.

Components:

hydrogen peroxide:

Target Organs : Respiratory Tract
Assessment : May cause respiratory irritation.

acetic acid:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

peracetic acid:

Assessment : May cause respiratory irritation.

STOT - repeated exposure

Not classified based on available information.

Components:

hydrogen peroxide:

Assessment : No data available

acetic acid:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

peracetic acid:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

hydrogen peroxide:

Species : Rat

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke 

gigasept® PAA *No Change Service!*

Version
05.02

Revision Date:
17.10.2024

Date of last issue: 23.09.2022

NOAEL	: 26 mg/kg
Application Route	: Oral
Exposure time	: 3 months
Remarks	: No adverse effect has been observed in chronic toxicity tests.

Species	: Rat
NOAEL	: 0.0029 mg/l
Application Route	: inhalation (vapour)
Method	: OECD Test Guideline 407

acetic acid:

Species	: Rat
NOAEL	: 1,800 mg/kg
Application Route	: Oral
Exposure time	: 14-days

peracetic acid:

Species	: Rat
NOAEL	: 15 mg/kg
Exposure time	: 90-day
Remarks	: No adverse effect has been observed in sub chronic toxicity tests.

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks : No human information is available.

SECTION 12: Ecological information

12.1 Toxicity

Product:

Ecotoxicology Assessment

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

Components:

hydrogen peroxide:

Toxicity to fish	: LC50 (Fish): 16.4 - 37.4 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia pulex (Water flea)): 2.4 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	: ErC50 (Skeletonema costatum (marine diatom)): 1.38 mg/l Exposure time: 72 h

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke 

gigasept® PAA **No Change Service!**

Version
05.02

Revision Date:
17.10.2024

Date of last issue: 23.09.2022

NOEC (Skeletonema costatum (marine diatom)): 0.63 mg/l
Exposure time: 72 h

Toxicity to daphnia and other : NOEC: 0.63 mg/l
aquatic invertebrates (Chronic toxicity) : Exposure time: 21 d
Species: Daphnia magna (Water flea)

acetic acid:

Toxicity to fish : LC50 (Gambusia affinis (Mosquito fish)): 251 mg/l
Exposure time: 96 h
Test Type: static test

Toxicity to daphnia and other : EC50 (Daphnia magna): 95 mg/l
aquatic invertebrates : Exposure time: 24 h

Toxicity to algae/aquatic : EC100 (Euglena gracilis): 720 mg/l
plants : Exposure time: 0.25 h

peracetic acid:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 1.1 mg/l
Exposure time: 96 h
Test Type: semi-static test

Toxicity to daphnia and other : EC50 (Daphnia magna): 0.73 mg/l
aquatic invertebrates : Exposure time: 48 h
Test Type: static test

Toxicity to algae/aquatic : NOEC (Pseudokirchneriella subcapitata (green algae)): 0.061
plants : mg/l
Exposure time: 72 h
Test Type: static test

M-Factor (Acute aquatic toxicity) : 1

Toxicity to fish (Chronic toxicity) : NOEC: 0.00069 mg/l
Exposure time: 33 d
Species: Danio rerio (zebra fish)

Toxicity to daphnia and other : NOEC: 0.0121 mg/l
aquatic invertebrates (Chronic toxicity) : Exposure time: 21 d
Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic toxicity) : 10

12.2 Persistence and degradability

Components:

hydrogen peroxide:

Biodegradability : Result: Totally biodegradable
Method: OECD Test Guideline 301

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke -t

gigasept® PAA **No Change Service!**

Version
05.02

Revision Date:
17.10.2024

Date of last issue: 23.09.2022

||

acetic acid:

||

Biodegradability : Result: Totally biodegradable
Method: OECD 301D / EEC 84/449 C6

peracetic acid:

||

Biodegradability : Result: Readily biodegradable.
Method: OECD Test Guideline 301

12.3 Bioaccumulative potential

Components:

hydrogen peroxide:

||

Bioaccumulation : Remarks: Does not bioaccumulate.
Partition coefficient: n-octanol/water : log Pow: -1.57

acetic acid:

||

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

peracetic acid:

||

Bioaccumulation : Remarks: Does not bioaccumulate.
Partition coefficient: n-octanol/water : log Pow: -0.26 (20 °C)
Method: Calculated value

12.4 Mobility in soil

Components:

hydrogen peroxide:

||

Mobility : Medium: Water
Remarks: Hydrolyses readily.

acetic acid:

||

Mobility : Remarks: No data available

peracetic acid:

||

Mobility : Medium: Water
Remarks: Hydrolyses readily.

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke 

gigasept® PAA *No Change Service!*

Version
05.02

Revision Date:
17.10.2024

Date of last issue: 23.09.2022

12.6 Other adverse effects

Product:

- Endocrine disrupting potential : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
- Additional ecological information : No data is available on the product itself.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

- Product : Disposal together with normal waste is not allowed. Special disposal required according to local regulations.
- Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14: Transport information

14.1 UN number

- ADR : Not regulated as a dangerous good
- IMDG : Not regulated as a dangerous good
- IATA : Not regulated as a dangerous good

14.2 UN proper shipping name

- ADR : Not regulated as a dangerous good
- IMDG : Not regulated as a dangerous good
- IATA : Not regulated as a dangerous good

14.3 Transport hazard class(es)

- ADR : Not regulated as a dangerous good
- IMDG : Not regulated as a dangerous good
- IATA : Not regulated as a dangerous good

14.4 Packing group

- ADR : Not regulated as a dangerous good
- IMDG : Not regulated as a dangerous good
- IATA (Cargo) : Not regulated as a dangerous good
- IATA (Passenger) : Not regulated as a dangerous good

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke 

gigasept® PAA ***No Change Service!***

Version
05.02

Revision Date:
17.10.2024

Date of last issue: 23.09.2022

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17) : Conditions of restriction for the following entries should be considered:
Number on list 3

UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation : Not applicable

The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain) : Not applicable

Regulation (EC) on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1148 on the marketing and use of explosives precursors : hydrogen peroxide

UK REACH List of substances subject to authorisation (Annex XIV) : Not applicable

|| Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control)
Volatile organic compounds (VOC) content: 4.02 %

The components of this product are reported in the following inventories:

TCSI : Not in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIIC : Not in compliance with the inventory

DSL : This product contains the following components that are not on the Canadian DSL nor NDSL.

Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke 

gigasept® PAA **No Change Service!**

Version
05.02

Revision Date:
17.10.2024

Date of last issue: 23.09.2022

IECSC	:	Not in compliance with the inventory
NZIoC	:	Not in compliance with the inventory
TECI	:	Not in compliance with the inventory

15.2 Chemical safety assessment

|| No Chemical Safety Assessment has been carried out for this mixture.

SECTION 16: Other information

Full text of H-Statements

H226	:	Flammable liquid and vapour.
H242	:	Heating may cause a fire.
H271	:	May cause fire or explosion; strong oxidizer.
H301	:	Toxic if swallowed.
H302	:	Harmful if swallowed.
H311	:	Toxic in contact with skin.
H314	:	Causes severe skin burns and eye damage.
H318	:	Causes serious eye damage.
H331	:	Toxic if inhaled.
H332	:	Harmful if inhaled.
H335	:	May cause respiratory irritation.
H400	:	Very toxic to aquatic life.
H410	:	Very toxic to aquatic life with long lasting effects.
H412	:	Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox.	:	Acute toxicity
Aquatic Acute	:	Short-term (acute) aquatic hazard
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Eye Dam.	:	Serious eye damage
Flam. Liq.	:	Flammable liquids
Org. Perox.	:	Organic peroxides
Ox. Liq.	:	Oxidizing liquids
Skin Corr.	:	Skin corrosion
STOT SE	:	Specific target organ toxicity - single exposure
2017/164/EU	:	Europe. Commission Directive 2017/164/EU establishing a fourth list of indicative occupational exposure limit values
GB EH40	:	UK. EH40 WEL - Workplace Exposure Limits
2017/164/EU / STEL	:	Short term exposure limit
2017/164/EU / TWA	:	Limit Value - eight hours
GB EH40 / TWA	:	Long-term exposure limit (8-hour TWA reference period)
GB EH40 / STEL	:	Short-term exposure limit (15-minute reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergen-

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended
by UK REACH Regulations SI 2019/758

schülke 

gigasept® PAA **No Change Service!**

Version
05.02

Revision Date:
17.10.2024

Date of last issue: 23.09.2022

cy Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:

Eye Irrit. 2	H319
Aquatic Chronic 3	H412

Classification procedure:

Based on product data or assessment
Based on product data or assessment

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.